

# 2021 E-MTB Components



COMPATIBILITY MAP

# 1x12 Eagle E-MTB Compatibility

Chain Model	Front	Crankset											
		Model	Motor Options										
			Bosch®	Brose®/Yamaha®/Fazua/Continental									
12s PC XX1 Eagle <sup>1</sup> PC X01 Eagle PC GX Eagle PC NX Eagle PC SX Eagle	■	X1	■	■									
		XSYNC II (Eagle) Chainrings											
		Bosch Gen 2	Bosch Gen 4	104 BCD (Brose/Yamaha/Fazua/Continental)	104 BCD Shimano®								
	16T	■											
	32T			■									
	34T		■	■	■								
	36T		■	■	■								
	38T		■	■	■								
	12s Rear	■	Cassette		Driver Body		Rear Derailleur		Shifter <sup>3</sup>				
			Gearing	Model	10/9/8 <sup>2</sup>	XD	Model	Max Tooth	Model	MMX	MM	IC	
		10 - 50 Eagle	XG-1299		■	1x12	XX1 Eagle	50	1x12	XX1 Eagle Single Click	■	■	
			XG-1295		■		X01 Eagle	50		X01 Eagle Single Click	■	■	
XG-1275				■	GX Eagle		50	GX Eagle Single Click		■	■		
11 - 50 Eagle		PG 1230	■		NX Eagle	50	NX MMX Eagle Single Click	■	■				
		PG 1210	■		SX Eagle	50	NX Eagle Single Click			■			
10 - 52 Eagle		XG-1299		■	1x12	XX1 Eagle	52	1x12	SX Eagle Single Click			■	
		XG-1295		■		X01 Eagle	52						
		XG-1275		■		GX Eagle	52						
					1x12	XX1 Eagle AXS	50 or 52	1x12	XX1 Eagle AXS Controller <sup>4</sup>	■	■		
					1x12	X01 Eagle AXS	50 or 52						

<sup>1</sup> Eagle chains are designed to work with SRAM Eagle 1x12 systems.

<sup>2</sup> All 10/9/8 speed cassettes can be installed on an 11 speed driver body by using a 1.85 mm spacer.

<sup>3</sup> To qualify for the warranty, Eagle Chain, Cassette, and Rear Derailleur must be used with a SRAM single click shifter when used on e-MTB/Pedelec style bicycles.

<sup>4</sup> To qualify for the warranty, an Eagle Chain, Cassette, and AXS Rear Derailleur must be used with the SRAM AXS Controller's Multi-shift turned off when used on e-MTB/Pedelec style bicycles. To disable the Multi-shift function, navigate to the system's Drivetrain Settings within the SRAM AXS app.

SRAM components are designed for use only on bicycles that are pedal powered or pedal assisted (e-MTB/Pedelec).

# 1x11 E-MTB Compatibility

Chain		Crankset					
Model		Model	Motor Options				
			Bosch®	Brose®/Yamaha®/Fazua/Continental			
11s PC XX1 PC X1 PC 1130 PC 1110		X1	■	■			
		XSYNC Chainrings		XSYNC II (Eagle) Chainrings			
		Bosch Gen 2		Bosch Gen 2	Bosch Gen 4	104 BCD (Brose/Yamaha/Fazua/Continental)	104 BCD Shimano®
		14T	■				
		16T	■	■			
		18T	■				
		32T				■	
		34T			■	■	■
		36T			■	■	■
		38T			■	■	■

  

Cassette		Driver Body		Rear Derailleur	Shifter				
Gearing	Model	10/9/8 <sup>1</sup>	XD	Model	Model	MMX	MM	IC	
11s	11 - 42	PG 1130	■		XX1	X01 Single Click GX Single Click S700 Single Click	■	■	
	10-42	XG 1150 XG 1175		■	X01				
				X1					
				GX					
				NX					

<sup>1</sup> All 10/9/8 speed cassettes can be installed on an 11 speed driver body by using a 1.85 mm spacer.

# EX1 E-MTB Compatibility

Chain		Crankset			
Model		Model	Motor Options		
			Bosch®	Brose®/Yamaha®/Fazua/Continental	
8s	EX1-CN	EX1	■	■	

  

XSYNC Chainrings			
	Bosch Gen 2	104 BCD (Brose/Yamaha/Fazua/Continental)	104 BCD Shimano®
14T	■		
16T	■		
18T	■		
32T		■	
34T		■	■
36T		■	■
38T		■	■

  

Cassette		Driver Body	Rear Derailleur	Shifter				
Gearing	Model	10/9/8 <sup>1</sup>	Model	Model	MMX	MM	IC	
8s	11 - 48	XG-899	■	8s	EX1	■	■	

<sup>1</sup> All 10/9/8 speed cassettes can be installed on an 11 speed driver body by using a 1.85 mm spacer.

**These are registered trademarks of SRAM, LLC:**

1:1®, Accuwatt®, Avid®, AXS®, Bar®, Blackbox®, BoXXer®, DoubleTap®, Elita®, eTap®, Firecrest®, Firex®, Grip Shift®, GXP®, Hammerschmidt®, Holzfeller®, Hussefelt®, i-Motion®, Judy®, Know Your Powers®, NSW®, Omnium®, Pike®, PowerCal®, PowerLock®, PowerTap®, Qollector®, Quarq®, RacerMate®, Reba®, Rock Shox®, Ruktion®, Service Course®, ShockWiz®, SID®, Single Digit®, Speed Dial®, Speed Weaponry®, Spinscan®, SRAM®, SRAM APEX®, SRAM EAGLE®, SRAM FORCE®, SRAM RED®, SRAM RIVAL®, SRAM VIA®, Stylo®, Torpedo®, Truvativ®, TyreWiz®, Varicrank®, Velotron®, X0®, X01®, X-SYNC®, XX1®, Zed tech®, Zipp®

**These are registered logos of SRAM, LLC:**



**These are trademarks of SRAM, LLC:**

10K™, 1X™, 202™, 30™, 35™, 302™, 303™, 404™, 454™, 808™, 858™, 3ZERO MOTO™, ABLC™, AeroGlide™, AeroBalance™, AeroLink™, Airea™, Air Guides™, AKA™, AL-7050-TV™, Automatic Drive™, Automatix™, AxCad™, Axial Clutch™, BB5™, BB7™, BB30™, Bleeding Edge™, Blipbox™, BlipClamp™, BlipGrip™, Blips™, Bluto™, Bottomless Tokens™, Cage Lock™, Carbon Bridge™, Centera™, Charger 2™, Charger™, Charger Race Day™, ClampClics™, Clickbox Technology™, Clics™, Code™, Cognition™, Connectamajig™, Counter Measure™, DD3™, DD3 Pulse™, DebonAir™, Deluxe™, Deluxe Re:Aktiv™, Descendant™, DFour™, DFour91™, Dig Valve™, DirectLink™, Direct Route™, DOT 5.1™, Double Decker™, Double Time™, Dual Flow Adjust™, Dual Position Air™, DUB™, DZero™, E300™, E400™, Eagle™, E-Connect4™, E-matic™, ErgoBlade™, ErgoDynamics™, ESP™, EX1™, Exact Actuation™, Exogram™, Flow Link™, FR-5™, Full Pin™, Gnar Dog™, Guide™, GX™, Hard Chrome™, Hexfin™, HollowPin™, Howitzer™, HRD™, Hybrid Drive™, Hyperfoil™, i-3™, Impress™, Jaws™, Jet™, Kage™, Komfy™, Level™, Lyrik™, MatchMaker™, Maxle™, Maxle 360™, Maxle DH™, Maxle Lite™, Maxle Lite DH™, Maxle Stealth™, Maxle Ultimate™, Micro Gear System™, Mini Block™, Mini Cluster™, Monarch™, Monarch Plus™, Motion Control™, Motion Control DNA™, MRX™, MultiClics™, Noir™, NX™, OCT™, OmniCal™, OneLoc™, Paragon™, PC-1031™, PC-1110™, PC-1170™, PG-1130™, PG-1050™, PG-1170™, Piggyback™, Poploc™, Power Balance™, Power Bulge™, PowerChain™, PowerDomeX™, Powered by SRAM™, PowerGlide™, PowerLink™, Power Pack™, Power Spline™, Predictive Steering™, Pressfit™, Pressfit 30™, Prime™, Qalvin™, R2C™, RAIL™, Rapid Recovery™, Re:Aktiv ThruShaft™, Recon™, Reverb™, Revelation™, Riken™, Rise™, ROAM™, Roller Bearing Clutch™, RS-1™, Sag Gradients™, Sawtooth™, SCT - Smart Coasterbrake Technology, Seeker™, Sektor™, SHIFT™, ShiftGuide™, Shorty™, Showstopper™, SIDLuxe™, Side Swap™, Signal Gear Technology™, SL™, SL-70™, SL-70 Aero™, SL-70 Ergo™, SL-80™, SL-88™, SLC2™, SL SPEED™, SL Sprint™, Smart Connect™, Solo Air™, Solo Spoke™, SpeedBall™, Speed Metal™, SRAM APEX 1™, SRAM Force 1™, SRAM RIVAL 1™, S-series™, Stealth-a-majig™, StealthRing™, Super-9™, Supercork™, Super Deluxe™, Super Deluxe Coil™, SwingLink™, TaperCore™, Timing Port Closure™, Tool-free Reach Adjust™, Top Loading Pads™, Torque Caps™, TRX™, Turnkey™, TwistLoc™, VCLC™, Vivid™, Vivid Air™, Vuka Aero™, Vuka Alumina™, Vuka Bull™, Vuka Clip™, Vuka Fit™, Vuka Shift™, Wide Angle™, WiFLi™, X1™, X5™, X7™, X9™, X-Actuation™, XC™, X-Dome™, XD™, XD Driver Body™, XDR™, XG-1150™, XG-1175™, XG-1180™, XG-1190™, X-Glide™, X-GlideR™, X-Horizon™, XLoc Sprint™, XX™, Yari™, Zero Loss™



Specifications and colors subject to change without prior notice.

© 2020 SRAM, LLC

**This publication includes trademarks and registered trademarks of the following companies:**

Bosch® is a registered trademark of Robert Bosch® GmbH.

Brose® is registered trademark of Brose Fahrzeugteile GmbH & Co.

Continental is a trademark of Continental AG.

Fazua™ is a trademark of FAZUA GmbH.

Shimano® is a registered trademark of Shimano Inc. Japan.

Yamaha® is a registered trademark of Yamaha Corporation.



---

ASIAN HEADQUARTERS

SRAM Taiwan  
No. 1598-8 Chung Shan Road  
Shen Kang Hsiang, Taichung City  
Taiwan R.O.C.

WORLD HEADQUARTERS

SRAM LLC  
1000 W. Fulton Market, 4th Floor  
Chicago, Illinois 60607  
U.S.A.

EUROPEAN HEADQUARTERS

SRAM Europe  
Paasbosweg 14-16  
3862ZS Nijkerk  
The Netherlands