





# 运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods

#### 锂电池类物品

样品名称: 钮扣形二氧化锰锂电池 CR2032 3V 220mAh

Sample name: /

泰托单位: 株式会社東北村田製作所

Tohoku Murata Manufacturing Co., Ltd.

**,** 本 **,** 株式会社東北村田製作所

Tohoku Murata Manufacturing Co., Ltd.





上海化工院检测有限公司

SHANGHALINSTITUTE OF CHEMICAL INDUSTRY TESTING CO. LTD.





# BU1. (Sp)

## Hazard Classification and Identification Report for Transport of Goods

			for Transport	of Goods		
样品/ Sample		中文 Chinese	钮扣形二氧化锰锂电池 CR2032 3V 220mAh			
sample	Name	英文 English	/			
委托单位 Applicant			株式会社東北村田製作所 Tohoku Murata Manufacturing Co., Ltd.			
生产单位 Manufacturer			株式会社東北村田製作所 Tohoku Murata Manufacturing Co., Ltd.			
检验方法、程序 Inspection method and procedure			国际海事组织《国际海运危险货物规则》(2022版) IMO International Maritime Dangerous Goods Code (2022 Edition)			
样品外观 Sample appearance			银色金属外壳 Silvery Metal shell			
包装件信息 Package information			重量≤30kg。 weight≤30kg.			
序号 NO.	Е	电池种类 Battery type	型号 Model	容量Capacity /锂含量Li content	放置方式 Placement	
1	(4) (5)	E电锂金属电池芯 y Li-metal cell	CR2032	220mAh / ≤0.3g	电池单独运输 Battery only	
鉴定结论	I FI CATI ON CONCL USI	Code) 艮据特殊规定188, The article is n	该物品不受IMO IMDG Code其	也条款限制。	uggestion according to IMO IM rding to special provision 188.	
					(2) Hu	

批准 Approver: 七穿 审核 走 完成

主检 Appraiser:

品价



### 运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods

NO. 212400129065415

Page 2/3

Inspection results and other things  本鉴定书所述锂电池按照《国际淘运危险货物规则》(2022版)2.9.4.5规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management program described in IMDG CODE 2022 EDITION 2.9.4.5。  本鉴定书所述锂电池已通过联合国《试验和标准手册》第111部分38.3小节相应测试要求。 包装件能够承受1.2m跌落试验。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part 111, sub-section 38.3.  The package has passed the 1.2m drop test. UN38.3试验概要编号 The UN38.3 Test Summary No. (s) 81220800169896 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.  理电池完全封装在内包装内,位于坚固的外包装中。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong outer packaging.	序号	检验结果及其他事项
Lithium cells and batteries listed in this report were manufactured under the quality management program described in IMDG CODE 2022 EDITION 2.9.4.5.  本鉴定书所述锂电池已通过联合国《试验和标准手册》第111部分38.3小节相应测试要求。 包装件能够承受1.2m跌落试验。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. The package has passed the 1.2m drop test. UN38.3试验概要编号 The UN38.3 Test Summary No. (s) 812200800169896 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.  锂电池完全封装在内包装内,位于坚固的外包装中。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong outer packaging.  电池具有适当的防短路措施。 Cells and batteries are properly protected to prevent short circuits.	No.	Inspection results and other things
包装件能够承受1.2m跌落试验。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3.  The package has passed the 1.2m drop test. UN38.3 ixi验概要编号 The UN38.3 Test Summary No. (s) 812200800169896 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.  锂电池完全封装在内包装内,位于坚固的外包装中。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong outer packaging.	1	Lithium cells and batteries listed in this report were manufactured under the quality management program described in IMDG
理电池完全封装在内包装内,位于坚固的外包装中。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong outer packaging.  电池具有适当的防短路措施。 Cells and batteries are properly protected to prevent short circuits.	2	包装件能够承受1.2m跌落试验。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3.  The package has passed the 1.2m drop test. UN38.3试验概要编号 The UN38.3 Test Summary No.(s) 812200800169896 详细信息请扫描右侧二维码。
Cells and batteries are properly protected to prevent short circuits.	3	锂电池完全封装在内包装内,位于坚固的外包装中。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong
ELECTRICAL ENGINEERS AND WHILE AND SELECTION FOR STATE OF STATE ST	4	
每个包装件必须标示恰当的锂电池标记。 装有锂电池的包装件,符合国际民航组织《危险物品安全航空运输技术细则》第4部分第11章的包装说明965或968第IB部分规定的,黏贴 5.2.1.10(锂电池标记)和5.2.2.2所示的9A型标签,应视为符合本特殊规定188的规定。注:《国际海运危险货物规则》(2020版)5.2.1.10 中显示电话号码附加信息的锂电池标记,可继续使用至2026年12月31日。 Each package shall be marked with the appropriate lithium battery mark. Packages containing lithium batteries packed in conformity with the provisions of part 4, chapter 11, packing instructions 965 or 968, section IB of the ICAO Technical Instructions for the Safe Transport of Dangerous Goods by air that bear the mark as shown in 5.2.1.10(lithium battery mark) and the label shown 5.2.2.2 Model No. 9A shall be deemed to meet the provisions of this special provision 188. Note: The mark shown in 5.2.1.10(lithium battery mark) of the IMDG CODE 2020 EDITION, showing the telephone number for additional information, may continue to be applied until 31 December 2026.	5	裝有锂电池的包装件,符合国际民航组织《危险物品安全航空运输技术细则》第4部分第11章的包装说明965或968第IB部分规定的,黏贴5.2.1.10(锂电池标记)和5.2.2.2所示的9A型标签,应视为符合本特殊规定188的规定。注:《国际海运危险货物规则》(2020版)5.2.1.10中显示电话号码附加信息的锂电池标记,可继续使用至2026年12月31日。 Each package shall be marked with the appropriate lithium battery mark. Packages containing lithium batteries packed in conformity with the provisions of part 4, chapter 11, packing instructions 965 or 968, section IB of the ICAO Technical Instructions for the Safe Transport of Dangerous Goods by air that bear the mark as shown in 5.2.1.10(lithium battery mark) and the label shown 5.2.2.2, Model No. 9A shall be deemed to meet the provisions of this special provision 188. Note: The mark shown in 5.2.1.10(lithium battery mark) of the IMDG CODE 2020 EDITION, showing
6	6	
7	7	
-验证码:574657-		-验证码:574657-

#### 运输危险性鉴定书

Hazard Classification and Identification Report for Transport of Goods

NO. 212400129065415 Page 3/3



\*\*\*报告结束\*\*\*