★ By Air



仅限货机 CAO





性验 货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

危险品

样品名称: 成品配件/电池 (锂电池) 劲量-AAA-L92 · FR03 · 1,5V 1250MAH

Sample name: Energizer Lithium Battery AAA size-L92 • FR03 • 1,5V 1250MAH

未 Ł 单 Љ 崇佳企业有限公司(劲量0EM部门)

委托里位: SONCA PRODUCTS LIMITED

生产单位: 崇佳企业有限公司(劲量OEM部门)

SONCA PRODUCTS LIMITED

SICIT上海化工院检测有限公司

Shanghai Institute of Chemical Industry Testing Co., Ltd

文 空 运 By Air 文 空 By Air

货物运输条件鉴定书 1/3 Page Certification for Safe Transport of Chemical Goods 成品配件/电池 (锂电池) 劲量-AAA-L92 • FR03 • 1,5V 1250MAH 中文 Chinese 样品名称 Sample Name Energizer Lithium Battery AAA size-L92 • FR03 • 1,5V 1250MAH 英文 English 崇佳企业有限公司(劲量OEM部门) 委托单位 SONCA PRODUCTS LIMITED Consignor 崇佳企业有限公司(劲量0EM部门) 生产单位 SONCA PRODUCTS LIMITED Manufacturer 国际航空运输协会《危险品规则》64版 检验方法、程序 IATA Dangerous Goods Regulations (DGR) 64th Edition Inspection method and procedure 银色塑料薄膜外壳 样品外观 Silvery Plastic film shell Sample appearance 包装件信息 Package information 数量 单颗重量kg 容量Capacity 电池种类 型号 放置方式 序号 Unit weight Quantity Model /锂含量Li content Placement NO. Battery type 电池单独运输 0.0078 不可充电锂金属电池芯 L92 • FR03 • 1, 5V 1250mAh / 0.45g Battery only Primary Li-metal cell

1. 危险性识别 (Hazards identification)

杂项。

Miscellaneous.

DE ON CONCL

NO ISN

2. 空运按照国际航空运输协会《危险品规则》办理的类项(Suggestion according to IATA DGR)

Shipping name: Lithium metal batteries

Class or division:9

UN Number: UN3090

结

定

论

3. 包装要求 (Packaging requirements)

按包装说明968第IA部分要求办理。

The goods are packaged according to the Packaging Instruction 968 section IA.

仅限货机

Cargo Aircraft Only

检验日期: Inspection Date:

2022-12-22

签发日期:

Issue Date:

2022-12-22

生效日期:

Effective Date:

备注 Comment

> 批准 Approver:

Checker:

主检 Appraiser: 品情

2023-01-01



Certification for Safe Transport of Chemical Goods

序号 No.	检验结果及其他事项 Inspection results and other things
1	本报告所述锂电池按照《危险品规则》(64版) 3.9.2.6.1(e)规定的质量管理体系进行制造。 本报告所述锂电池不属于因安全原因召回的锂电池。 本报告所述锂电池不进行以回收或处置为目的的航空运输,不属于废弃锂电池。 Lithium cells and batteries listed in this report were manufactured under the quality management program described in IATA DGR 64th 3.9.2.6.1(e). Lithium cells and batteries listed in this report are not the defective cells or batteries returned to the manufacturer for safety reasons. Lithium cells and batteries listed in this report are not waste lithium cells or batteries, and they will not be shipped for recycling or disposal.
2	本报告所述锂电池已通过联合国《试验和标准手册》第III部分38.3小节相应测试要求。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. UN38.3试验概要编号 The UN38.3 Test Summary No.(s) 812100700618896 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.
3	锂电池必须完全封装在内包装内,位于坚固的外包装中。完成包装件必须满足II级包装的性能要求。 Lithium cells and batteries must be packed in inner packagings that completely enclose the cell or battery and placed in a strong outer packaging. The completed package must meet the Packing Group II performance requirements.
° 4	电池具有适当的防短路措施。 Cells and batteries are properly protected to prevent short circuits.
5	每个包装件必须使用9类锂电池危险性标签(DGR图7.3.X)。 每个包装件必须贴有"仅限货机"标签(DGR图7.4.B)。 Each package must be labelled with the Class 9-Lithium Battery hazard label(Figure 7.3.X in IATA DGR). Each package must be labelled with the "Cargo Aircraft Only" label(Figure 7.4.B in IATA DGR).
6	电池不得与第1类爆炸品(1.4S项除外), 2.1项易燃气体, 第3类易燃液体, 4.1项易燃固体或5.1项氧化性物质等危险品包装在同一外包装,或集合包装内。 Cells and batteries must not be packed in the same outer packaging or overpack with dangerous goods classified in Class 1 (explosives) other than Division 1.4S, Division 2.1 (flammable gases), Class 3 (flammable liquids), Division 4.1 (flammable solids) or Division 5.1 (oxidizers).
7	
	-验证码:357000-


工院

学用言

Page 3/3

Certification for Safe Transport of Chemical Goods







报告结束