



# DECLARATION OF CONFORMITY

This declaration of conformity is issued under the sole responsibility of the manufacturer:

<b>FORK PLATFORM:</b> <small>(Covers all models/model codes, travel settings and configurations)</small>	<b>COIL SPRING</b>	<b>AIR SPRING</b>	<b>MAX SYSTEM WEIGHT LIMIT (kg)</b>
Reba		✓	110
Recon Gold		✓	110
Judy Gold		✓	135
Paragon		✓	135
Rudy		✓	135
BoXXer		✓	140
35 Gold		✓	150
35 Silver	✓*		150
35 Silver		✓	150
Judy Silver	✓*		150
Judy Silver		✓	150
Judy TK	✓*		150
Lyrik		✓	150
Pike		✓	150
Recon Silver	✓*		150
Revelation		✓	150
SID		✓	150
SID SL		✓	150
Yari		✓	150
Domain		✓	170
Domain Gold		✓	170
Psylo Gold		✓	170
Psylo Silver	✓*	✓	170
ZEB		✓	170

\* System weight limit rating for coil sprung forks may exceed available spring rates

**WORLD HEADQUARTERS**  
**SRAM LLC**  
1000 W. Fulton Market, 4th Floor  
Chicago, Illinois 60607  
U.S.A.

**MANUFACTURING LOCATION**  
1598-8 Chung-Shan Road  
Shengang District (42955)  
Taichung  
Taiwan

**SRAM EUROPE**  
Paasbosweg 14-16  
3862ZS Nijkerk  
The Netherlands

**SRAM LLC** hereby declares that the products listed above are in conformity with the essential requirements and other relevant regulations listed below:

<b>STANDARD/DIRECTIVE</b>	<b>HARMONIZED STANDARD / DESCRIPTION</b>
<b>ISO 4210-2:2023</b>	<b>Cycles - Safety requirements for bicycles - Part 2: Requirements for city and trekking (City +T), young adult (Y), mountain (M) and racing bicycles (R)</b>
	<b>Section 4.2</b> Sharp Edges
	<b>Section 4.3</b> Security and strength of safety-related fasteners
	<b>Section 4.9.1</b> General
	<b>Section 4.9.2</b> Means of location of the axle and wheel retention
	<b>Section 4.9.3</b> Tyre clearance test – Suspension fork
	<b>Section 4.9.4.1</b> Front fork – Tensile test – Suspension fork
	<b>Section 4.9.5</b> Front fork – Static bending test
	<b>Section 4.9.6</b> Front fork – Rearward impact test (as applicable)
	<b>Section 4.9.7</b> Front fork – Bending fatigue test plus rearward impact test (as applicable)
	<b>Section 4.9.8</b> Forks intended for use with hub - or disc-brakes (as applicable)
	<b>Section 4.9.11</b> Front mudguard (as applicable)
<b>ISO 4210-3:2023</b>	<b>Cycles - Safety requirements for bicycles - Part 3: Common test methods</b>
	<b>Section 4.2.1.1</b> Test method – Minimal tangential strength (as applicable)
	<b>Section 4.2.1.2</b> Test method – Mudguard stays impact test (as applicable)
	<b>Section 4.2.2</b> Front mudguard without stays test method (as applicable)
	<b>Section 4.2.3</b> Front mudguard – Wheel blocking verification test (as applicable)
<b>ISO 4210-6:2023</b>	<b>Cycles - Safety requirements for bicycles - Part 6: Frame and fork test methods</b>
	<b>Section 5.1</b> Suspension forks – Tyre-clearance test
	<b>Section 5.2.1</b> Front fork - Tensile test – Test method – Suspension fork
	<b>Section 5.3</b> Front fork – Static bending test – Mountain bicycles
	<b>Section 5.4</b> Front fork – Rearward impact test – Mountain bicycles (as applicable)
	<b>Section 5.5</b> Front fork – Bending fatigue test and rearward impact test – Mountain bicycles (as applicable)
	<b>Section 5.6</b> Forks intended for use with hub or disc brakes – Mountain bicycles (as applicable)

**WORLD HEADQUARTERS**  
**SRAM LLC**  
 1000 W. Fulton Market, 4th Floor  
 Chicago, Illinois 60607  
 U.S.A.

**MANUFACTURING LOCATION**  
 1598-8 Chung-Shan Road  
 Shengang District (42955)  
 Taichung  
 Taiwan

**SRAM EUROPE**  
 Paasbosweg 14-16  
 3862ZS Nijkerk  
 The Netherlands

<b>STANDARD/DIRECTIVE</b>	<b>HARMONIZED STANDARD / DESCRIPTION</b>
<b>MACHINERY DIRECTIVE 2006/42/EU</b>	
<b>EN 15194:2017+A1:2023</b>	<b>Cycles. Electrically power assisted cycles. EPAC Bicycles</b>
	<b>Section 4.3.8.1</b> General
	<b>Section 4.3.8.2</b> Means of location of the axle and wheel retention
	<b>Section 4.3.8.3.1</b> Tyre-clearance test
	<b>Section 4.3.8.3.1</b> Tensile test
	<b>Section 4.3.8.4</b> Front fork – Static bending test
	<b>Section 4.3.8.5</b> Front fork – Rearward impact test (as applicable)
	<b>Section 4.3.8.6</b> Front fork – Bending fatigue test and rearward impact test (as applicable)
	<b>Section 4.3.8.7</b> Forks intended for use with hub or disc brakes (as applicable)
<b>EN 17404:2022</b>	<b>Cycles - Electrically power assisted cycles - EPAC Mountain Bikes</b>
	<b>Section 4.3.8.1</b> General
	<b>Section 4.3.8.2</b> Front fork – Static bending test
	<b>Section 4.3.8.3</b> Front fork – Rearward impact test (as applicable)
	<b>Section 4.3.8.4</b> Front fork – Bending fatigue test and rearward impact test (as applicable)
	<b>Section 4.3.8.5</b> Forks intended for use with hub or disc brakes (as applicable)
	<b>Section 4.3.11</b> Front mudguard (as applicable)
<b>16 CFR Part 1512</b>	<b>Requirements for bicycles</b>
	<b>Section 11</b> Requirements for Front Forks <i>(as applicable)</i>

**SIGNATORY:****LEO YERMAKOV**  
Regulatory Compliance Director**DATE: 2025-10-01****SIGNATORY'S ADDRESS**1000 W. Fulton Market, 4th  
Floor Chicago, Illinois 60607  
U.S.A.**WORLD HEADQUARTERS**  
**SRAM LLC**  
1000 W. Fulton Market, 4th Floor  
Chicago, Illinois 60607  
U.S.A.**MANUFACTURING LOCATION**  
1598-8 Chung-Shan Road  
Shengang District (42955)  
Taichung  
Taiwan**SRAM EUROPE**  
Paasbosweg 14-16  
3862ZS Nijkerk  
The Netherlands